



TECHNICAL DATA SHEET

TDS 00.002

Product

CEBOCOL

Description

Water based pigment pastes to colour all CEBOS COLOR products with the tinting system CEBOSCOLORSTATION

CEBOCOL pigment pastes are classified in two groups:

HR (high resistance) series: dispersion of inorganic pigments highly resistant, ideal for tinting of all products both for interior and exterior use.

IP (interior performance) series: dispersion of organic pigments extremely bright, ideal for tinting of products for interior use only.

CEBOCOL HR – for interiors and exteriors:

AB arancio bruciato (Orange oxide) – BC blu cobalto (cobalt blue) – BT bruno terra (brown) – GL giallo limone (bright yellow) – GO giallo ocre (yellow oxide) – MN marrone noce (walnut brown) – NA nero ardesia (slate black) – RA rosso antico (red oxide) – VO verde olive (olive green)

CEBOCOL IP – for interiors:

BB blu brillante (bright blue) – GZ giallo zafferano (saffron yellow) – NG nero grafite (graphite black) – RV rosso vivo (bright red) – VL viola lavanda (lavender violet) – VP verde petrolio (teal colour).

CEBOCOL is available in 1 litre containers.

Instructions for use

Carefully mix the pigment pastes CEBOCOL manually or with a mixer, before filling the canisters of the tinting machine.

The quantities for each formula are indicated in the Software CEBOSCOLORSTATION, which enables to reproduce all the colours presented on the colour guides in all the container sizes.

VOC Classification (2004/42/CE Directive)

Product category: Product not included in the annex.
CEBOCOL contains: 38 g/l VOC

Technical characteristics

Appearance: liquid
Specific weight: 1.00 – 1.73 g/cm³ according to the pigment concentration
pH: 8-9,5

Storage

Store the product in its original containers, tightly closed at ambient temperature between +5°C and +35°C, in a cool and well-ventilated place, sheltered from direct sunshine and heat sources.

Safety warnings

CEBOCOL does not require any specific personal or environmental protection measures; it is however advised to avoid long contact with skin. In case of contact with eyes, rinse immediately with plenty of water; if irritations persist seek medical advice. If swallowed, seek medical advice immediately and show the safety data sheet of the product.

This data sheet annuls and substitutes any previous version for this product. All the technical information herein stated come from our best experience: in any case however this Technical Data Sheet does not imply the liability of our Company for application of the product which is carried out beyond our control. Our Technical Department is at the users' service to provide additional information or clarifications.