

# **Safety Data Sheet**

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

S.S. 06.009 Code:

CeboKrystal componente A Product name Chemical name and synonym Resina epossidica da bisfenolo A/F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Resina epossidica bicomponente Intended use

Identified Uses	Industrial	Professional	Consumer	
principali utilizzi	<b>*</b>	<b>✓</b>	-	
1.3. Details of the supplier of the safety data sheet				
Name Full address District and Country	Cebos Color S.r.I. Via Dei Dossi n. 7 24040 OSIO SOPRA (BG) ITALY			
	Tel. (+39) 035 265141			
	Fax (+39) 035 2651431			
e-mail address of the competent person				
responsible for the Safety Data Sheet Product distribution by:	carlo@cebos.it Cebos Color S.r.l.			
1.4. Emergency telephone number     For urgent inquiries refer to	Contact your local poison in Technical information: Cebe 13.30/18.00)	nformation service. os Color Tel. (+39) 035 265141	I (Lun-Ven 8.30/12.30 -	

## **SECTION 2. Hazards identification**

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication: Eye irritation, category 2

Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity,	H411	Toxic to aquatic life with long lasting effects.
category 2		
	Skin irritation, category 2 Skin sensitization, category 1 Hazardous to the aquatic environment, chronic toxicity,	Skin irritation, category 2 Skin sensitization, category 1 Hazardous to the aquatic environment, chronic toxicity, H411

## 2.2. Label elements



Revision nr. 1

Dated 20/03/2019
First compilation

Printed on 03/06/2019

Page n. 2/12

# S.S. 06.009 - CeboKrystal componente A

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:





Signal words: Warning

#### Hazard statements:

H319 Causes serious eye irritation.

H315 Causes skin irritation.H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

**EUH205** Contains epoxy constituents. May produce an allergic reaction.

#### Precautionary statements:

**P280** Wear protective gloves / eye protection / face protection.

**P273** Avoid release to the environment.

P391 Collect spillage.

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

Contains: Ossirano, mono[(C12-14-alchilossi)metil] derivati

REACTION PRODUCT: BISPHENOL A-(EPICHLORHYDRIN)

Resina epossidica da bisfenolo F

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

### Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

REACTION PRODUCT:

**BISPHENOL A-(EPICHLORHYDRIN)** 

CAS 25068-38-6 62 ≤ x < 66 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2

H41′

EC 500-033-5 INDEX 603-074-00-8 Ossirano, mono[(C12-14-



Revision nr. 1

Dated 20/03/2019

First compilation
Printed on 03/06/2019

S.S. 06.009 - CeboKrystal componente A

Page n. 3/12

alchilossi)metil] derivati

CAS 68609-97-2  $22,5 \le x < 24$  Skin Irrit. 2 H315, Skin Sens. 1 H317

EC 271-846-8

INDEX 603-103-00-4

Reg. no. 01-2119485289-22-xxxx Resina epossidica da bisfenolo F

Resina epossidica da distendio F

15 ≤ x < 16,5 Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

CAS 9003-36-5 EC 500-006-8

INDEX -

Reg. no. 01-2119454392-40-0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.


#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

## 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always



wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Information not available

## 8.2. Exposure controls



Revision nr. 1

Dated 20/03/2019

First compilation
Printed on 03/06/2019

Page n. 5/12

# S.S. 06.009 - CeboKrystal componente A

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance liquid Colour colourless Odour characteristic Odour threshold Not available Not available Melting point / freezing point Initial boiling point Not available Not available Boiling range Not available Flash point > 150 °C Evaporation Rate Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available



Revision nr. 1

Dated 20/03/2019
First compilation

Printed on 03/06/2019
Page n. 6/12

# S.S. 06.009 - CeboKrystal componente A

Vapour density Not available

Relative density 1,14

Solubility

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidising properties

Not available
Not available
Not available
Not available
Not available

#### 9.2. Other information

VOC (Directive 2004/42/EC): 0 VOC (volatile carbon): 0

# **SECTION 10. Stability and reactivity**

## 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

## 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

## 10.5. Incompatible materials

Information not available

## 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

## 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available



Revision nr. 1

Dated 20/03/2019

First compilation

Printed on 03/06/2019

Page n. 7/12

S.S. 06.009 - CeboKrystal componente A

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

## ACUTE TOXICITY

LC50 (Inhalation) of the mixture:
Not classified (no significant component)
LD50 (Oral) of the mixture:
Not classified (no significant component)
LD50 (Dermal) of the mixture:
Not classified (no significant component)

# SKIN CORROSION / IRRITATION

Causes skin irritation

## SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

## RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

## CARCINOGENICITY

Does not meet the classification criteria for this hazard class

## REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class


## STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

## STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

## ASPIRATION HAZARD



Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. **12.1. Toxicity** 

Information not available

## 12.2. Persistence and degradability

REACTION PRODUCT: BISPHENOL A-

(EPICHLORHYDRIN)
Solubility in water

0,1 - 100 mg/l

NOT rapidly degradable

#### 12.3. Bioaccumulative potential

REACTION PRODUCT: BISPHENOL A-

(EPICHLORHYDRIN)

Partition coefficient: n-octanol/water > 2,918
BCF 31

12.4. Mobility in soil

REACTION PRODUCT: BISPHENOL A-

(EPICHLORHYDRIN)

Partition coefficient: soil/water 2,65

## 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.



Revision nr. 1

Dated 20/03/2019
First compilation

Printed on 03/06/2019
Page n. 9/12

S.S. 06.009 - CeboKrystal componente A

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

#### 14.1. UN number

ADR / RID, IMDG,

3082

IATA:

IATA:

ADR / RID:

In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR

provisions.

IMDG: In accordance

In accordance with Section 2.10.2.7 of IMDG

Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to

submitted to IMDG Code provisions. In accordance

with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not

submitted to IATA dangerous goods regulations.

## 14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

IMDG: Class: 9 Label: 9





Revision nr. 1

Dated 20/03/2019 First compilation

Printed on 03/06/2019

Page n. 10/12

# S.S. 06.009 - CeboKrystal componente A

IATA:

Class: 9

Label: 9



## 14.4. Packing group

ADR / RID, IMDG,

Ш

#### 14.5. Environmental hazards

ADR / RID:

Environmentally

Hazardous

IMDG:

Marine Pollutant

IATA:

Environmentally

Hazardous



## 14.6. Special precautions for user

ADR / RID:

HIN - Kemler: 90

Cargo:

Pass.:

Special Provision: -

Special Instructions:

Limited Quantities: 5 Tunnel restriction code: (-)

IMDG:

EMS: F-A, S-F

Limited Quantities: 5

IATA:

Maximum

quantity: 450

Packaging instructions: 964

Maximum

Packaging

964

quantity: 450

instructions:

A97, A158, A197

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>

3 Point



Revision nr. 1

Dated 20/03/2019
First compilation

Printed on 03/06/2019

Page n. 11/12

S.S. 06.009 - CeboKrystal componente A

#### Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1 Skin sensitization, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

# LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization



Revision nr. 1

Dated 20/03/2019

First compilation

Page n. 12/12

Printed on 03/06/2019

S.S. 06.009 - CeboKrystal componente A

INDEX NUMBER: Identifier in Annex VI of CLP

- LC50: Lethal Concentration 50%

- LD50: Lethal dose 50%

- OEL: Occupational Exposure Level

PBT: Persistent bioaccumulative and toxic as REACH Regulation

PEC: Predicted environmental Concentration

PEL: Predicted exposure level

PNEC: Predicted no effect concentration

REACH: EC Regulation 1907/2006

RID: Regulation concerning the international transport of dangerous goods by train

TLV: Threshold Limit Value

TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

- TWA STEL: Short-term exposure limit

TWA: Time-weighted average exposure limit

VOC: Volatile organic Compounds

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- FCHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.