


|  |                               |   |
|--|-------------------------------|---|
|  <p> <small> Cebos Color Srl<br/> 24040 Osio Sopra (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 265141<br/> Fax +39 035 2651431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 1/14<br>Replaced revision:1 (Printed on: 28/09/2021) |
|  | <b>S.S. 06.013 - CeboSkil</b> |   |

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code: **S.S. 06.013**  
Product name: **CeboSkil**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **two components resin poliacyrylic water based protective finish for internals.**

### 1.3. Details of the supplier of the safety data sheet

Name: **Cebos Color S.r.l.**  
Full address: **Via Dei Dossi n. 7**  
District and Country: **24040 OSIO SOPRA (BG)**  
**ITALY**  
**Tel. (+39) 035 265141**  
**Fax (+39) 035 2651431**

e-mail address of the competent person

responsible for the Safety Data Sheet: **carlo@cebos.it**  
Supplier: **Cebos Color S.r.l.**

### 1.4. Emergency telephone number

For urgent inquiries refer to  
**Centri antiveleni (CAV): Milano Tel. (+39) 02 66101029; Roma Tel. (+39) 06 3054343;**  
**Napoli Tel. (+39) 081 7472870; Catania Tel. (+39) 095 7594120.**  
**Informazioni tecniche: Cebos Color Tel. (+39) 035 265141 (Lun-Ven 8.30/12.30 -**  
**13.30/18.00)**

## SECTION 2. Hazards identification


### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).  
However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.  
Hazard classification and indication:

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

|   |                               |   |
|---|-------------------------------|---|
|  <p> <b>Cebos Color S.r.l.</b><br/>         24040 Oleggio (BG)<br/>         Via dei Dossi, 7<br/>         Tel. +39 035 285141<br/>         Fax +39 035 2851431<br/>         C.F. &amp; P.Iva 02567630161<br/>         info@cebos.it<br/>         www.ceboscolor.it       </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021  |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br>Page n. 2/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

Signal words: --

Hazard statements:

**EUH210**  
**EUH208**

Safety data sheet available on request.

Contains: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, octhilineone (ISO)  
May produce an allergic reaction.

Precautionary statements:

--

VOC (Directive 2004/42/EC) :

Two - pack performance coatings.

|   |                 |
|---|-----------------|
| VOC given in g/litre of product in a ready-to-use condition : | 90,00           |
| Limit value:  | 140,00          |
| - Catalysed with :  | 20,00 % CeboCat |
| - Thinned with :  | 15,00 % water   |

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.


The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

| Identification  | x = Conc. %        | Classification 1272/2008 (CLP)  |
|---|--------------------|---|
| <b>octhilineone (ISO)</b>   |                    |   |
| CAS 26530-20-1  | $0 \leq x < 0,025$ | Acute Tox. 3 H311, Acute Tox. 3 H331, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10<br>Skin Sens. 1 H317: $\geq 0,05\%$ |
| EC 247-761-7  |                    |   |
| INDEX 613-112-00-5  |                    | LD50 Oral: 500 mg/kg, STA Dermal: 300 mg/kg, STA Inhalation vapours: 3 mg/l, STA Inhalation mists/powders: 0,501 mg/l, STA Inhalation gas: 700 ppm  |
| <b>1,2-benzisothiazol-3(2H)-one</b>   |                    |   |
| CAS 2634-33-5   | $0 \leq x < 0,05$  | Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411<br>Skin Sens. 1 H317: $\geq 0,05\%$   |
| EC 220-120-9  |                    |   |
| INDEX 613-088-00-6  |                    | LD50 Oral: 490 mg/kg  |
| REACH Reg. 01-2120761540-60   |                    |   |
| <b>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6]</b> |                    |   |

|   |                               |  |   |
|---|-------------------------------|--|---|
|  <p> <small> Cebos Color Srl<br/> 24040 Oleggio (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 285141<br/> Fax +39 035 2851431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     |  | Revision nr. 2  |
|   | <b>S.S. 06.013 - CeboSkil</b> |  | Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 3/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

**(3:1)**  
CAS 55965-84-9                       $0 \leq x < 0,0015$                       Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1, EUH071, Classification note according to Annex VI to the CLP Regulation: B  
EC -                                      Skin Corr. 1C H314:  $\geq 0,6\%$ , Skin Irrit. 2 H315:  $\geq 0,06\%$ , Skin Sens. 1A H317:  $\geq 0,0015\%$ , Eye Dam. 1 H318:  $\geq 0,6\%$ , Eye Irrit. 2 H319:  $\geq 0,06\%$   
INDEX 613-167-00-5                      STA Oral: 100 mg/kg, STA Dermal: 50,001 mg/kg, STA Inhalation vapours: 0,501 mg/l, STA Inhalation mists/powders: 0,051 mg/l, STA Inhalation gas: 100 ppm

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.  
**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.  
**INGESTION:** Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.  
**INHALATION:** Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media


**SUITABLE EXTINGUISHING EQUIPMENT**  
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.  
**UNSUITABLE EXTINGUISHING EQUIPMENT**  
None in particular.

### 5.2. Special hazards arising from the substance or mixture

**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**  
Do not breathe combustion products.

### 5.3. Advice for firefighters

**GENERAL INFORMATION**  
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.  
**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**  
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open

|   |                               |   |
|---|-------------------------------|---|
|  <p> <b>Cebos Color S.r.l.</b><br/>           24040 Oleggio (BG)<br/>           Via dei Dossi, 7<br/>           Tel. +39 035 285141<br/>           Fax +39 035 2851431<br/>           C.F. &amp; P.Iva 02567630161<br/>           info@cebos.it<br/>           www.ceboscolor.it         </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021  |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br><br>Page n. 4/14<br><br>Replaced revision:1 (Printed on: 28/09/2021) |

circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection


### 8.1. Control parameters

Information not available

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

|  |                               |  |   |
|--|-------------------------------|--|---|
|  <p> <b>Cebos Color S.r.l.</b><br/>         24040 Oleggio (BG)<br/>         Via dei Dossi, 7<br/>         Tel. +39 035 285141<br/>         Fax +39 035 2851431<br/>         C.F. &amp; P.Iva 02567630161<br/>         info@cebos.it<br/>         www.ceboscolor.it       </p> | <b>Cebos Color S.r.l.</b>     |  | Revision nr. 2  |
|  | <b>S.S. 06.013 - CeboSkil</b> |  | Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 5/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.


#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties                             | Value                      | Information |
|--|----------------------------|-------------|
| Appearance                             | liquid                     |             |
| Colour                                 | transparent white          |             |
| Odour                                  | characteristic             |             |
| Melting point / freezing point         | 0 °C                       |             |
| Initial boiling point                  | Not available              |             |
| Flammability                           | Not available              |             |
| Lower explosive limit                  | Not available              |             |
| Upper explosive limit                  | Not available              |             |
| Flash point                            | > 100 °C                   |             |
| Auto-ignition temperature              | 0 °C                       |             |
| Decomposition temperature              | Not available              |             |
| pH                                     | 7.5 - 9                    |             |
| Kinematic viscosity                    | Not available              |             |
| Solubility                             | partially soluble in water |             |
| Partition coefficient: n-octanol/water | Not available              |             |
| Vapour pressure                        | Not available              |             |
| Density and/or relative density        | 1,03                       |             |

|   |                               |  |   |
|---|-------------------------------|--|---|
|  <p> <small> Cebos Color S.r.l.<br/> 24040 Oleggio (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 285141<br/> Fax +39 035 2851431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     |  | Revision nr. 2  |
|   | <b>S.S. 06.013 - CeboSkil</b> |  | Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 6/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

Relative vapour density                      Not available  
Particle characteristics                      Not applicable

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes  
Information not available

9.2.2. Other safety characteristics

VOC (Directive 2004/42/EC) :                      8,74 %   -   90,00   g/litre  
VOC (volatile carbon)                      0,68 %   -   7,02   g/litre

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available


### 10.6. Hazardous decomposition products

Information not available

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.  
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|  |                               |   |
|--|-------------------------------|---|
|  <p> <b>Cebos Color S.r.l.</b><br/>           24040 Oleggio (BG)<br/>           Via dei Dossi, 7<br/>           Tel. +39 035 285141<br/>           Fax +39 035 2851431<br/>           C.F. &amp; P.Iva 02567630161<br/>           info@cebos.it<br/>           www.ceboscolor.it         </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 7/14<br>Replaced revision:1 (Printed on: 28/09/2021) |
|  | <b>S.S. 06.013 - CeboSkil</b> |   |

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

Information not available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

#### Interactive effects

Information not available

#### ACUTE TOXICITY

|                                  |   |
|----------------------------------|---|
| ATE (Inhalation) of the mixture: | Not classified (no significant component) |
| ATE (Oral) of the mixture:       | Not classified (no significant component) |
| ATE (Dermal) of the mixture:     | Not classified (no significant component) |

#### 1,2-benzisothiazol-3(2H)-one


|              |           |
|--------------|-----------|
| LD50 (Oral): | 490 mg/kg |
|--------------|-----------|

#### octhilinone (ISO)

|              |           |
|--------------|-----------|
| LD50 (Oral): | 500 mg/kg |
|--------------|-----------|

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

|                                 |   |
|---------------------------------|---|
| STA (Oral):                     | 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture)    |
| STA (Dermal):                   | 50,001 mg/kg estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture) |
| STA (Inhalation mists/powders): | 0,051 mg/l estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture)   |
| STA (Inhalation vapours):       | 0,501 mg/l estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture)   |
| STA (Inhalation gas):           | 100 ppm estimate from table 3.1.2 of Annex I of the CLP   |

|   |                               |   |
|---|-------------------------------|---|
|  <p> <small> Cebos Color S.r.l.<br/> 24040 Oleggio (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 285141<br/> Fax +39 035 2851431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021  |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br><br>Page n. 8/14<br><br>Replaced revision:1 (Printed on: 28/09/2021) |

(figure used for calculation of the acute toxicity estimate of the mixture)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY


Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE



|  |                               |  |   |
|--|-------------------------------|--|---|
|  <p> <small> Cebos Color Srl<br/> 24040 Oleggio (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 285141<br/> Fax +39 035 2851431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     |  | Revision nr. 2  |
|  | <b>S.S. 06.013 - CeboSkil</b> |  | Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 9/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

|                                   |               |
|-----------------------------------|---------------|
| 1,2-benzisothiazol-3(2H)-one      |               |
| LC50 - for Fish                   | 2,15 mg/l/96h |
| EC50 - for Crustacea              | 2,9 mg/l/48h  |
| EC50 - for Algae / Aquatic Plants | 0,11 mg/l/72h |

|   |                |
|---|----------------|
| octhilinone (ISO)                       |                |
| LC50 - for Fish                         | 0,089 mg/l/96h |
| EC50 - for Crustacea                    | 0,325 mg/l/48h |
| EC50 - for Algae / Aquatic Plants       | 0,092 mg/l/72h |
| Chronic NOEC for Algae / Aquatic Plants | 0,0028 mg/l    |


|   |                |
|---|----------------|
| reaction mass of: 5-chloro-2- methyl-4-<br>isothiazolin-3-one [EC no. 247-500-7]and 2-<br>methyl-2H -isothiazol-3- one [EC no. 220-<br>239-6] (3:1) |                |
| LC50 - for Fish   | 0,58 mg/l/96h  |
| EC50 - for Crustacea  | 1,02 mg/l/48h  |
| EC50 - for Algae / Aquatic Plants   | 0,379 mg/l/72h |
| EC10 for Algae / Aquatic Plants   | 0,188 mg/l/72h |

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

|   |                               |  |
|---|-------------------------------|--|
|  <p> <small> Cebos Color S.r.l.<br/> 24040 Oleggio (BG)<br/> Via dei Dossi, 7<br/> Tel. +39 035 285141<br/> Fax +39 035 2851431<br/> C.F. &amp; P.Iva 02567630161<br/> info@cebos.it<br/> www.ceboscolor.it </small> </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021   |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br><br>Page n. 10/14<br><br>Replaced revision:1 (Printed on: 28/09/2021) |

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

##### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.


#### 14.1. UN number or ID number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

|   |                               |  |
|---|-------------------------------|--|
|  <p> <b>Cebos Color S.r.l.</b><br/>           24040 Oleggio (BG)<br/>           Via dei Dossi, 7<br/>           Tel. +39 035 285141<br/>           Fax +39 035 2851431<br/>           C.F. &amp; P.Iva 02567630161<br/>           info@cebos.it<br/>           www.ceboscolor.it         </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 11/14<br>Replaced revision:1 (Printed on: 28/09/2021) |
|   | <b>S.S. 06.013 - CeboSkil</b> |  |

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

|       |    |
|-------|----|
| Point | 75 |
|-------|----|

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors


Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

|   |                               |  |
|---|-------------------------------|--|
|  <p> <b>Cebos Color S.r.l.</b><br/>         24040 Oleggio (BG)<br/>         Via dei Dossi, 7<br/>         Tel. +39 035 285141<br/>         Fax +39 035 2851431<br/>         C.F. &amp; P.Iva 02567630161<br/>         info@cebos.it<br/>         www.ceboscolor.it       </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021   |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br>Page n. 12/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

VOC (Directive 2004/42/EC) :

Two - pack performance coatings.


## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|                          |  |
|--------------------------|--|
| <b>Acute Tox. 2</b>      | Acute toxicity, category 2   |
| <b>Acute Tox. 3</b>      | Acute toxicity, category 3   |
| <b>Acute Tox. 4</b>      | Acute toxicity, category 4   |
| <b>Skin Corr. 1B</b>     | Skin corrosion, category 1B  |
| <b>Skin Corr. 1C</b>     | Skin corrosion, category 1C  |
| <b>Eye Dam. 1</b>        | Serious eye damage, category 1                                     |
| <b>Skin Irrit. 2</b>     | Skin irritation, category 2  |
| <b>Skin Sens. 1</b>      | Skin sensitization, category 1                                     |
| <b>Skin Sens. 1A</b>     | Skin sensitization, category 1A                                    |
| <b>Aquatic Acute 1</b>   | Hazardous to the aquatic environment, acute toxicity, category 1   |
| <b>Aquatic Chronic 1</b> | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| <b>Aquatic Chronic 2</b> | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| <b>H310</b>              | Fatal in contact with skin.  |
| <b>H330</b>              | Fatal if inhaled.  |
| <b>H301</b>              | Toxic if swallowed.  |
| <b>H311</b>              | Toxic in contact with skin.  |
| <b>H331</b>              | Toxic if inhaled.  |
| <b>H302</b>              | Harmful if swallowed.  |

|  |                               |  |  |
|--|-------------------------------|--|--|
|  <p> <b>Cebos Color S.r.l.</b><br/>         24040 Oleggio (BG)<br/>         Via dei Dossi, 7<br/>         Tel. +39 035 285141<br/>         Fax +39 035 2851431<br/>         C.F. &amp; P.Iva 02567630161<br/>         info@cebos.it<br/>         www.ceboscolor.it       </p> | <b>Cebos Color S.r.l.</b>     |  | Revision nr. 2   |
|  | <b>S.S. 06.013 - CeboSkil</b> |  | Dated 12/11/2021<br>Printed on 06/12/2021<br>Page n. 13/14<br>Replaced revision:1 (Printed on: 28/09/2021) |


|               |   |
|---------------|---|
| <b>H314</b>   | Causes severe skin burns and eye damage.              |
| <b>H318</b>   | Causes serious eye damage.                            |
| <b>H315</b>   | Causes skin irritation.                               |
| <b>H317</b>   | May cause an allergic skin reaction.                  |
| <b>H400</b>   | Very toxic to aquatic life.                           |
| <b>H410</b>   | Very toxic to aquatic life with long lasting effects. |
| <b>H411</b>   | Toxic to aquatic life with long lasting effects.      |
| <b>EUH071</b> | Corrosive to the respiratory tract.                   |
| <b>EUH210</b> | Safety data sheet available on request.               |

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)

|   |                               |  |
|---|-------------------------------|--|
|  <p> <b>Cebos Color S.r.l.</b><br/>         24040 Oleggio (BG)<br/>         Via dei Dossi, 7<br/>         Tel. +39 035 285141<br/>         Fax +39 035 2851431<br/>         C.F. &amp; P.Iva 02567630161<br/>         info@cebos.it<br/>         www.ceboscolor.it       </p> | <b>Cebos Color S.r.l.</b>     | Revision nr. 2<br><br>Dated 12/11/2021   |
|   | <b>S.S. 06.013 - CeboSkil</b> | Printed on 06/12/2021<br>Page n. 14/14<br>Replaced revision:1 (Printed on: 28/09/2021) |

- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

**Changes to previous review:**

The following sections were modified:

02 / 03 / 09 / 11 / 12 / 15 / 16.